

Our History

- 2018 Annual sales reached USD10 million
- 2015 We introduced and explored automatic CNC and forging machine
- 2010 Cooperate with SINOSURE
- 2010 ISO9001:2008 Approved
- 2009 Annual sales reached USD 6 million
- 2009 We established our own Foreign trade department
- 2008 Obtained export license
- 2002 Industry upgrading,we start to produce valves&fittings and moved into new plant
- 1986 Factory Established By then we are copper bar manufacturer

NRCI®

Ninghai Raising Copper Industry Co., Ltd. is located in Ninghai Ningbo China, which was established in 2002. We specialized in manufacturing brass & bronze valves and water plumbing. Our major products are ball valves, angle valves, gate valves, check valves, bibcocks, drinking taps, faucets, fittings, water meter accessories and so on.

We are professional supplier for lockable ball valves, including magnetic & mechanical, straight & angle type which are with competitive price and good quality in Europe, south America, Asia, etc. We developed new products ferrule & saddle which are popular in Middle East, Asia and so on.

We are proud that we have a professional technologist team,and have ability to design and OEM according to clients' reqirement. We could supply various valves in material of brass & bronze, such as DZR CW614N, CW617N, C83600, C84400, LG2, no lead brass.Since we are authentic manufacturer and have obtained ISO9001, CE certificate, we will be able to maximize your profit and guarantee good quality.

Ninghai Raising copper is your best partner for waterworks fittings,welcome to China and visit our factory in Ningbo.












Water meter box and fittings









ITEM NO	DESCRIPTION
1	KEY
2	LID OF THE METER BOX WITH LOCK SYSTHM
3	METERBOX
4+5+6	OUTPUT NIPPLE
7+8+9+10	EXPANSION JOINT
11+12+4	INLET NIPPLE WITH BALL VALVE

Dimensions

Size	DN15
Item	NRW015
L	190
L1	302
L2	345
D	G3/4B
d	R1/2
H1	45
H	138
W	195






http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806


No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.


Water meter box and fittings



ITEM NO	DESCRIPTION
1	Key for magnetic lockable water ball valve
2+3	Magnetic Lockable water ball valve
4	Water meter box
5+6	Expansion joint
7	Lid of the water meter box with lock system
8	Key for meter box

Size	DN15
Item	NRW016
L	315
L1	305
L2	100-120
H	185
D	G1"
d	G3/4"






http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.


Bronze Water Meter Accessories

Pressure Rating PN16
Temperature Rating max. 120°C water (no steam), (depending on pressure)
Casting bronze body
Threaded Ends according to BS21 or NPT
Blow Out Proof Stem
Bronze handle
Chrome Plated Ball






Bronze star expansion




To be used in water service connection with water meter
Expansion Joint with Gaskets (2 units)
Bronze Ball Valve with Gasket
Bronze nipple

Bronze balll valve




Bronze nipple




http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Corporation stop

The materal is bronze(85-5-5-5)
All corporation valves are individually
inspected and tested for leaks with air pressure
Temperature Rating max. 120°C water
(no steam), (depending on pressure)
Male Iron Pipe Thread Inlet and Outlet or NPT
Thread Ends according to WP (API REG)Standard





Valve size	Inlet size	Outlet size	L(mm)	A (mm)	H(mm)
1/2″	1/2″	1/2″	83	33	51
3/4″	3/4″	3/4″	99	43	66
1″	1″	"1	103	53	75

Intended Usage:

To be used in water service connection below the ground
for closing/re-opening of supply from secondary and tertiary pipe

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.


Magnetic lockable ball valve


Pressure Rating PN16
Temperature Rating max. 100°C water
(no steam), (depending on pressure)
Forged Brass body or Nickle Plated
Threaded Ends according to BS21
Blow Out Proof Stem
Zinc lockable cap
Brass ring key
Chrome Plated Ball












Size	L	D	H	weight
1/2 ″	53.5	14	35	245
3/4"	60	18	38.5	300
1″	72	24	42	450


Item	Description	Material
7	Magnetic Lock	Zinc alloy
6	Bonnet	brass
5	Body	brass
4	Ball seat	PTFE
3	Ball	brass
2	Stem	brass
1	O-ring	NBR

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Brass ball valve

Pressure Rating 400WOG
Temperature Rating max. 120 °C water
Forged Brass Body brass bonnet
Chrome Plated Ball or stainless steel





No.	Part	Material
1	Body	Brass(Nikel Plated)
2	Bonnet	Brass(Nikel Plated)
3	Ball	Brass(Nikel Plated)
3	Ball	Stainless steel
4	Ball seat	PTFE
5	Stem	Brass
6	O-ring	NBR
7	Handle	Steel
8	Nut	Steel

Note:For the ball 1/4"to 1" is brass
1-1/4" to 4"is stainless steel


NPT	Φd	L	H	W
1/4	10	46	39	73
3/8	10	46	39	73
1/2	14	53	47	90
3/4	18	63	51	102
1	23	72	57	116
11/4	30	78	63	134
11/2	35	86	76	134
2	43	100	83	166
21/2	56	127	114	225
3	65	140	120	260
4	79	187	136	260

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Angle Lockable ball valve

Pressure Rating PN16
Temperature Rating max. 120°C water
(no steam), (depending on pressure)
Forged Brass Body
Threaded Ends according to BS21
Blow Out Proof Stem
Brass lockable handle
Brass T key
Chrome Plated Ball








Size	GA	L	H	B	G
DN15x3/4’’’’x3/4’’	3/4’’	37.5	83	15	3/4’’
DN15x3/4’’x1/2’’	1/2’’	37.5	81	15	3/4’’

No.	Description	Q’ ty	Material
1	Body	1	Brass
2	Bonnet	1	Brass
3	Ball	1	Brass
4	Stem	1	Brass
5	O-ring	2	NBR
6	Ball seat	2	PTFE
7	Nut	1	Brass
8	Handle	1	Brass
9	Ring	2	Steel

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Magnetic Angle Lockable ball valve

Pressure Rating PN16
Temperature Rating max. 120°C water
(no steam), (depending on pressure)
Forged Brass Body
Threaded Ends according to BS21
Blow Out Proof Stem
Zinc lockable cap
Brass ring key
Chrome plated ball









Size	A	B	C	L	H
DN15x1/2”x3/4”	15	G3/4	G1/2	80	38
DN15x3/4”x3/4”	15	G3/4	G3/4	80	38

No.	Description	Q’ ty	Material
1	Body	1	Brass
2	Bonnet	1	Brass
3	Ball	1	Brass
4	Stem	1	Brass
5	O-ring	1	NBR
6	Ball seat	2	PTFE
7	Nut	2	Brass
8	Handle	1	Brass
9	Ring	2	Steel


http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Angle Lockable ball valve

Pressure Rating PN16
Temperature Rating max. 120°C water
(no steam), (depending on pressure)
Forged Brass Body
Threaded Ends according to BS21
Blow Out Proof Stem
Brass lockable handle
Brass T key
Chrome Plated Ball







Size	DN	A	G	L	D
DN15x3/4” ” x20mm	15	94	G3/4”	62	20
DN15x3/4” x25mm	15	97	G3/4”	62	25

Item	Description	Q’ ty	Material
1	Nut	1	Brass
2	Ring	1	Brass
3	Washer	1	Brass
4	O-ring	1	NBR
5	Body	1	Brass
6	Ball seat	2	PTFE
7	Ball	1	Brass
8	Stem	1	Brass
9	O-ring	2	NBR
10	Handle	1	Brass
11	Screw	1	Brass
12	Cap	1	Rubber
13	Bonnet	1	Brass
14	Ring	1	Steel
15	Nut	1	Brass


http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Straight Lockable ball valve

Pressure Rating PN16
Temperature Rating max. 120°C water (no steam), (depending on pressure)
Forged Brass Body
Threaded Ends according to BS21
Blow Out Proof Stem
Brass lockable handle
Brass T key
Chrome Plated Ball








Size	DN	A	L	G
DN15x3/4"x20mm	15	81	40	G3/4
DN15x3/4''x25mm	15	81	42	G3/4

No.	Description	Q' ty	Material
1	Nut	1	Brass
2	Ring	1	Brass
3	Washer	1	Brass
4	O-ring	1	NBR
5	Body	1	Brass
6	Ball seat	1	PTFE
7	Ball	2	Brass
8	Stem	1	Brass
9	O-ring	1	NBR
10	Handle	2	Brass
11	Screw	1	Brass
12	Cap	1	Rubber
13	Bonnet	1	Brass
14	Ring	1	Steel
15	Nut	1	Brass

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Magnetic Angle Lockable ball valve

Pressure Rating PN16
Temperature Rating max. 120°C water (no steam), (depending on pressure)
Forged Brass Body
Threaded Ends according to BS21
Blow Out Proof Stem
Zinc lockable cap
Brass ring key
Chrome Plated Ball









Size	DN	A	B	L
DN15x3/4"x20mm	15	94	G3/4	62
DN15x3/4''x25mm	15	97	G3/4	62


No.	Description	Q' ty	Material
1	Nut	1	Brass
2	Ring	1	Brass
3	Washer	1	Brass
4	O-ring	1	NBR
5	Body	1	Brass
6	Ball seat	2	PTFE
7	Ball	1	Brass
8	Stem	1	Brass
9	O-ring	2	NBR
10	Handle	1	Zinc alloy
11	Bonnet	1	Brass
12	Ring	1	Steel
13	Nut	1	Brass

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.


Brass stop valve

Pressure Rating PN16
Temperature Rating max. 120°C water
(no steam), (depending on pressure)
Forged Brass Body
Threaded Ends according to BS21
Blow Out Proof Stem






序号						
H	89	95	115	165	170	188
L	64.5	75	83	1.1	114	145
G	G1/2	G3/4	G1	G11/4	G11/2	G2
G1	G1/2	G3/4	G1	G11/4	G11/2	G2
A	12	11.5	13	16.5	18	22.5
A1	12	11.5	13	16.5	18	22.5
SIZE	1/2	3/4	1	11/4	11/2	2








No.	Description	Q' ty	Material
1	Body	1	Brass
2	O-Ring	1	NBR
3	Valve Core	1	Brass
4	Stem	1	Brass
5	Sealing	1	PTFE
6	bonnet	1	Brass
7	Packing ring	1	PTFE
8	Washer	1	Brass
9	handle	1	Brass
10	Screw	1	Stainless

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Bronze ferrule

Pressure Rating PN16
Temperature Rating max. 150°C water
(no steam), (depending on pressure)
Bronze material
Threaded Ends according to BS21







Size	L	D	H
1/2"	95	37	24
3/4"	96	42	25
1"	107	47.5	26
1-1/4"	113	54.2	28
1-1/2"	121	64.5	30
2"	133.5	75.5	30

Item	Description	Material	Q' ty
9	Top	Bronze	1
8	Rubber washer	PTEF	1
7	Top cap washer	Epdm or NBR	1
6	Top cap	Bronze	1
5	Banjo	Bronze	1
4	Banjo washer	EPDM	2
3	Inner plug	Bronze	1
2	Stem	Bronze	1
1	Plastic cover	PVC	1

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.


Gunmetal Swivel ferrule

Pressure Rating PN16
Temperature Rating max. 150°C water
(no steam), (depending on pressure)
Gunmetal material
Threaded Ends according to BS21
And compression end connect with 20/25/32mm PE or PP pi

G	1/2"	3/4"	1"
A1	20.3	25.3	32.3
L	20	20	28
H	82	82	102
H1	44	44	58
C	56	56	68
A	12.5	19	40
	1/2"x20mm	3/4"x25mm	1x32mm




Item	Description	Material	Q' ty
11	O-Ring	NBR	1
10	Press ring	Gunmetal	1
9	Ring of socket	Brass(HPB62)	1
8	Cap of socket	Gunmetal	1
7	Valve core	Gunmetal	1
6	Rubber washer	EPDM	1
5	Body of ferrule	Gunmetal	1
4	Rubber washer	EPDM	1
3	Valve cap	Gunmetal	1
2	O-ring	NBR	1
1	Stem of ferrule	Gunmetal	1




http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Self-tapping ferrule straps
Pushfit outlet

Pressure Rating PN16
Temperature Rating max.150°C water
(no steam),(depending on pressure)Bronze material
Simple and quick installation can be made dry or under pressure
Ferrule straps with Integral Self-cutter and pushfit outlet
Standard Saddle clamp options:
The following Standard Saddle clamp used with the pipe size:
50mm,63mm,90mm,110mm
160mm,225mm and 315mmHDPE or PVC main pipe





Size	φD	D	
63x25mm	63	25	
110x25mm"	110	25	
160x25mm	160	25	

Item	Description	Material	Q' ty
1	Ferrule	Bronze	1
2	Grip ring	HDPE	1
3	O-ring	EPDM	1
4	Banjo	Bronze	1
5	Cutter	Aluminium Bronze	1
6	Bolt&screw	Stainless steel	2
7	Saddle	Bronze	2

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.


Bronze saddle clamp

Saddle clamp are designed for securing the ferrule to underground main pipe,they are used when the strength of the mains pipe would not otherwise support a ferrule joint. The following Standard Saddle clamp used with the pipe size: 50mm ,65mm,90mm,110mm 160mm,225mm 315mm



Technical Specification
Brass/Bronze construction
Stainless steel fixing bolts
Supplied with rubber sealing gasket





Unit:mm

ΦD	G		
63mm	1/2	3/4	1
90mm	1/2	3/4	1
110mm	1/2	3/4	1
160mm	1/2	3/4	1
160mm	1/2	3/4	1
160mm	1/2	3/4	1
225mm	1/2	3/4	1
315mm	1/2	3/4	1

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Bronze gate valve

Bronze gate valve, C83600/LG2/B62 Bronze Gate Valve

Technical specification:

Working Pressure: 2.0Mpa


Testing pressure: 0.8MPa by air

Working Medium: Water, Oil, Gas

Working temperature: -20° to 20 ° C

Thread Standard: ISO228






G' Size	A	B	C	F
1/2"	72	45.5	14.5	13
3/4''	78	51.5	19.5	14.5
1"	88	56.5	23.5	16.5
11/4"	108	58	30	16.5
11/2''	117	60	35	17
2"	147	68	48	17
21/2"	178	81.5	61	19
3"	202	90	72	21
4"	242	96	88	21.5


No.	Description	Material	Q' ty
1	Body	Bronze	1
2	Disc	Bronze	1
3	Seal	PTFE	1
4	Bonnet	Bronze	1
5	Stem	Brass	1
6	Locking cap	Brass	1
7	Seal	PTFE	1
8	Nut	Brass	1
9	Ring	Brass	1
10	Sign ring	Al	1
11	Nut	Brass	1
12	Handle	Castiron	1

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Bronze Straight & Angle Lockable ball Valve

Bronze Straight &Angle Ball Valve with Lockwing
Size: DN 15x3/4, 3/4 ISO 7 Inlet 3/4 ISO 228 outlet
copper Content 85-555
Chrome Plated Ball






http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Brass Compression Male Adaptor

Brass Fitting Male x C Type Compression Brass Fitting
Available in Various Sizes, Suitable for PE Pipe
Brass coupling
Forged brass body
For PE pipe
OEM orders are welcome
Size: 1/2-inch x 20, 3/4-inch x 25, 1-inch x 32,
11/4-inch x 40, 11/2-inch x 50, 2-inch x 63






SIZE	L	D	H
1/2 *20	40	20	33
3/4 *25	46.5	25	38.5
1 *32	55	32	47.5
1/2 *50	70	50	69.5
2 *63	84.5	63	84.5

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Brass Water Meter Couplings

Suitable for multi-jet water meter,
single-jet water meter etc.
Size:1/2"-2"
Temperature Rating max.120°C water
(no steam),(depending on pressure)
Forged Brass
Threaded Ends according to BS21
or according to request.





R	G	L	HEX.1	F	H	HEX.1	D	S
1/2	3/4	37	17.5	15	14	29.5	15	2.5
3/4	1	40	22.5	20	17	36	21	2.5
1	1 1/4	46	30	25.5	21	46	27	2.5
1 1/4	1 1/2	56	37	33.5	22	54	34	2.5
1 1/2	2	65.5	45	39	24	66	40	3.5
2	2 1/2	74.8	57.7	50	32	83.7	52	3.5

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Brass&bronze Lockable ball valve




Model NRL001


Model NRL002


Model NRL003


Model NRL004


Model NRL005


Model NRL006


Model NRL007


Model NRL008


Model NRL009


Model NRL010


Model NRL011


Model NRL012


Model NRL013


Model NRL014


Model NRL015


Model NRL016


Model NRL016-1


Model NRL017


Model NRL018


Model NRL019

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.



Model NRL020



Model NRL021



Model NRL022



Model NRL023



Model NRL024



Model NRL025



Model NRL026



Model NRL027



Model NRL028



Model NRL029



Model NRL030



Model NRL031

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Ninghai Raising Copper Industry Co., Ltd.
Brass&bronze valves

Brass&bronze Ferrule valve and clamp saddle





Model NRF001



Model NRF002



Model NRF003



Model NRF004



Model NRF005



Model NRF006



Model NRF007



Model NRF008



Model NRF009



Model NRF010



Model NRF011



Model NRP001





Model NRP002

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Brass&bronze ball valve





Model NRB001



Model NRB002



Model NRB003



Model NRB003-1



Model NRB004



Model NRB005



Model NRB006



Model NRB007



Model NRB008



Model NRB008-1



Model NRB008-2



Model NRB008-3



Model NRB009



Model NRB009-1



Model NRB010



Model NRB011

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Ninghai Raising Copper Industry Co., Ltd.
Brass&bronze valves



Model NRB011-1



Model NRB011-2



Model NRB012



Model NRB013



Model NRB014



Model NRB015



Model NRB016



Model NRB017



Model NRB018



Model NRB019



Model NRB020



Model NRB021



Model NRB022



Model NRB023



Model NRB024



Model NRB025



Model NRB026



Model NRB027



Model NRB028



Model NRB029



Model NRB030



Model NRB030-1



Model NRB030-2

Model NRB030-3

http://www.rs-valve.com/ Email: raisingvalve@163.com / tomzhang@raisingcopper.com
No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.



Model NRB031



Model NRB032



Model NRB034



Model NRB035



Model NRB036



Model NRB037



Model NRB038



Model NRB039



Model NRB040



Model NRB046



Model NRB047

Brass&bronze Check valve and strainer



Model NRC001



Model NRC002



Model NRC003



Model NRC004



Model NRC005



Model NRC006



Model NRC007

No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Ninghai Raising Copper Industry Co., Ltd.
Brass&bronze valves

Brass&bronze Stop Valves and Gate Valves



Model NRS001



Model NRS002



Model NRS003



Model NRS004



Model NRS005



Model NRS006



Model NRS007



Model NRS008



Model NRS009



Model NRS010



Model NRS011



Model NRS012



Model NRS013



Model NRS014



Model NRS015



Model NRS016

No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Brass&bronze Water meter accessories




Model NRW001


Model NRW002


Model NRW004


Model NRW005

Model NRW006


Model NRW007


Model NRW008


Model NRW009


Model NRW010


Model NRW011


Model NRW012



Model NRW013


Model NRW014


Model NRW015

No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.

Brass&bronze Brass insert& fittings




Model NRI001


Model NRI002


Model NRI003


Model NRI003-1


Model NRI004


Model NRI004-1


Model NRI020-1


Model NRI016-1


Model NRI005


Model NRI005-1


Model NRI005-2


Model NRI006


Model NRI007


Model NRI008


Model NRI009


Model NRI010


Model NRI011


Model NRI012


Model NRI013


Model NRI014

No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600
Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806
No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.



Model NRI015



Model NRI016




Model NRI017



Model NRI018



Model NRI019



Model NRI020



Model NRI021



Model NRI022



Model NRI023



Model NRI024



Model NRI025



Model NRI026



Model NRI027



Model NRI028



Model NRI029



Model NRI030



Model NRFB001



Model NRFB002



Model NRFB003



Model NUFB001



Model NUFB002



Model NUFB004



Model NUFB004




Model NUFB005

No.365 Beidou North Road Xinxing Industrial Area Ninghai Ningbo Zhejiang China 315600

Phone: +86 0574-65570808; Fax: +86 0574-65530808 Mobile:+86-15867415961 Skype:tomzhang0806

No responsibility is taken for the correctness of the technical information. We reserve the right for technical changes and mistakes.





Your Best Partner for Waterworks Fittings

宁海县新兴铜业有限公司

Ninghai Raising Copper Industry Co., Ltd

http://www.rs-valve.com/
http://raisingcopper.en.made-in-china.com/

Professional manufacturer for waterworks fittings
Bronze/Brass Valves and fittings
Water meter and pump parts
Sanitary parts

ISO9001:2015

宁海县新兴铜业有限公司
Ninghai Raising Copper Industry Co., Ltd

Add:No.365 Beidou North Road Ninghai Ningbo Zhejiang China 315600
Tel:0086-574-65570808
Fax:0086-574-65530808
Mobile&WhatsApp:0086-15867415961
Email: tomzhang@raisingcopper.com
raisingvalve@163.com

URL: http://www.rs-valve.com/
http://raisingcopper.en.made-in-china.com/